

## 48 x 30 Series Replacement Screen

### Specifications & Dimensions

**Fits shaker machines:** Derrick ® LP, Flo-Line Cleaner  
 Derrick ® FLC 2000 4-Panel


**Quantity per shaker:** 3 (LP & Flo-Line) / 4 (FLC2000)

**Type of Screen:** MB Hook

**Gasket:** Yes

**Weight:** 9 pounds (4.08 kg)

**Approx. Dimensions:** 41 1/4 x 27 1/2



### Mesh & API Information

CWC Mesh Type	CWC Mesh Size	API RP 13C Designation	D100 Cut Points (Microns)	API Micron Range for Screen Designation	Continental Wire Cloth Item #
CRX Oblong	60	API 50	321	275-327.50	MB-CRXDRK060
CRX Oblong	84	API 60	233	231-275	MB-CRXDRK084
CRX Oblong	110	API 70	207	196-231	MB-CRXDRK110
CRX Oblong	140	API 80	172	165-196	MB-CRXDRK140
CRX Oblong	175	API 100	139	137.50-165	MB-CRXDRK175
CRX Oblong	210	API 120	131	116.50-137.50	MB-CRXDRK210
CRX Oblong	250	API 140	101	98-116.50	MB-CRXDRK250
CRX Oblong	270	API 170	86	82.5-98	MB-CRXDRK270*
CRX Oblong	325	API 200	73	69-82.5	MB-CRXDRK325
CRX Oblong	400	API 230	67	58-69	MB-CRXDRK400
UF Square	24	API 20	861	780-925	MB-UFDRK024
UF Square	38	API 35	521	462.5-550	MB-UFDRK038
UF Square	50	API 45	373	327.5-390	MB-UFDRK050
UF Square	70	API 60	263	231-275	MB-UFDRK070
UF Square	84	API 70	212	196-231	MB-UFDRK084
UF Square	110	API 80	185	165-196	MB-UFDRK110
UF Square	140	API 100	150	137.5-165	MB-UFDRK140
UF Square	175	API 120	125	116.5-137.5	MB-UFDRK175
UF Square	210	API 140	106	98-116.5	MB-UFDRK210
UF Square	230	API 170	90	82.5-98	MB-UFDRK230
UF Square	250	API 200	76	69-82.5	MB-UFDRK250*
UF Square	325	API 230	66	58-69	MB-UFDRK325
UF Square	350	API 270	54	49-58	MB-UFDRK350
UF Square	400	API 325	47	41.5-49	MB-UFDRK400

### The Continental Wire Cloth Difference

Continental Wire Cloth replacement shaker screens offer the oil industry a superior product—longevity, increased flow, durability and competitive prices.

**make The Black Screen™**  
 your last screen

Continental Wire Cloth does not manufacture screens for Derrick Corporation®. CWC manufactures replacement screens that give our customer an alternative option for their solids control needs. Standard mesh sizes are listed above. For other available sizes, please contact our sales department.

\* Results from in house testing.